



Suzhou Fwulong Amusement Equipment Co.,LTD.

The best brand in Chinese Amusement Equipments

Suzhou Fwu-long Amusement Equipment Co.,LTD

Add:Suzhou Industrial Park,Jiangsu Province,China

P.C:215123

Mobile:+86-18913169572 +86-13773061993

Tel:+86-512-62538460

Fax:+86-512-62968593

Web:www.fwu-long.com

www.inflatableground.com

Email:info@fwulong.com



Terry



WhatsApp



Fwu-long



WhatsApp



Terry



Wechat

Mini Bumper Car

Size: 73*73*48cm
Material: Fiberglass Body+Metal Frame
Motor: DC24V 150W*2pcs,
Battery: DC12V/20Ah*2pcs,
Speed: 0-5km/h adjustable
Weight: 28kgs,MaxLoad weight:80kgs,
Music&Light: MP3 with SD Card, LED Splash Light



Kids Bumper Car

Material: Fiberglass body /Steel Frame/Inflatable tube
Net Weight: 80kgs (176lbs)
Motor: DC 24V 350W*2pcs, non-brush motor
Max Loading weight: 100kgs(220lbs)
Speed: 0-10km/h (adjustable)
Battery: 2pcs*12V/33Ah Lead-Acid Battery



Younger Bumper Car-D

Material: Fiberglass body /Steel Frame/Inflatable tube
Net Weight: 100kgs(220lbs)
Motor: DC 24V 350W*2pcs, non-brush motor
Max Loading weight:125kgs(275lbs)
Speed: 0-10km/h (adjustable)
Battery: 2pcs*12V/55Ah Lead-Acid Battery



Medium Bumper Car

Material:	Fiberglass body /Steel Frame/Inflatable tube
Net Weight:	115kgs(253lbs)
Motor:	DC 24V 350W*2pcs, non-brush motor
Max Loading weight:	150kgs(330lbs)
Speed:	0-10km/h (adjustable)
Battery:	2pcs*12V/55Ah Lead-Acid Battery



Adult Bumper Car

Material:	Fiberglass body /Steel Frame/Inflatable tube
Net Weight:	120kgs(264lbs)
Motor:	DC 24V 350W*2pcs, non-brush motor
Max Loading weight:	150kgs(330lbs)
Speed:	0-10km/h (adjustable)
Battery:	2pcs*12V/55Ah Lead-Acid Battery



Protection Arena/Hard Floor/ Ice Rink/Anti-sun Roof/Festival Decoration ect. Available options

Aqua paddler boat

Model	Subject	Loading weight	Packing size (cm)	Packing weight(KG)
Adult	Adult&kid	120Kg	151×92×32 (L) (W) (H)	20.3Kg
Kid	6 years and older	70Kg	128×84×32 (L) (W) (H)	14.5Kg
Economy	3-8year kid	60Kg	116×79.5×34 (L) (W) (H)	12.9Kg
Mini	4 year kid and less	20Kg	98×64×23 (L) (W) (H)	8.3Kg

Material: HDPE blow plastic and inject plastic products
Application: in shallow water or inflatable pool, mini water depth 15cm



Adult paddler boat(L150cm)



Kid paddler boat(L127cm)



Economy paddler boat(L113cm)



Mini paddler boat(L95cm)



Handle set



Front cover



Splash guard



Wheel



Bumper boat

Packing size: 126*68*28cm

packing weight: 33kgs

Motor: DC12V,non-brush motor

Battery: Lead crystal 33AH,safe and durable

Loading weight: 75kg for height less than 170cm

Using condition: Water depth over 35cm, Ln shallow water or pool

Control system: Coin/Timer/Remote Control



Sea turtles



Duck



Dinosaur



Elephant



Pony



White Swan



Black Swan



Parenting bumper car

Packing size: 126*83*36cm

packing weight: 40kgs

Motor: DC12V,non-brush motor

Battery: Lead crystal 55AH,safe and durable

Loading weight: 100kg for height less than 180cm

Using condition: Water depth over 35cm, In shallow water or pool

Control system: Coin/Timer/Remote Control



Fur seal



Pony



Tiger




Sea turtles



Duck



Black Swan



White Swan



UFO Kids bumper boat

Size:Diameter: 120cm
 Motor: 12V/180W
 Battery: DC12V 33Ah
 Speed: 0-6km/h (adjustable)
 Weight: 40kgs

Max Loading Weight: 80kgs

Cat,puppy,panda,pig,ect.For choose and welcome to customize your pattern design.

Outdoor anti-sun tent for options.



UFO Adult bumper boat

Material: Fiberglass body&roof /Stainless Frame/Inflatable tube
 Weight: 110kgs
 Motor: 24V/180W*2pcs
 Loading weight: 150kgs
 Speed: 0-6km/h(adjustable)
 Battery: DC12V 65Ah*2pcs



Water Bicycle

Material: body with 6061 aerospace-grade aluminum alloy/ bottom inflatable flat use 1.0mm thickness Drop Stitch Fabric

SIZE

Kids model_Size: 3.2*1.35*1.08m

Adule model_Size: 3.2*1.8*1.08m

Double Seats model_Size: 3.2*2.9*1.08m



Transparent Kayak

Material:Hull: 100% PC Sheet
 Frame material: Anodized Aluminum Alloy
 Float Bag: PVC
 Paddle: Aluminum shaft+ABS Blades
 Transparent Kayak-Size: 3.2*0.86*0.33cm
 Weight: 22kgs
 Max Load weight: 180kgs
 Seat: 2 seats



Grass car

Material: Steel/FRP
Weight: 64.5kg(with battery)
Loading weight: 10kg
Motor: DC24V
Motor Power: 400W*2pcs
Lead crystal Battery: 12V3AH*2pcs
Speed: 5or7km/h(2speeds for choose)



Animal drift car

Packing size: 166*84*82cm(L*W*H)
Weight: 70kg with battery **Motor:** DC24V non-brush
Power: 150w **Battery:** lead crystal DC12V,33Ah*2pcs
Speed: 5km/h,3km/h,can be adjustable
Packing size: 122*84*82*cm(L*W*H)
Weight: 60kg with battery **Motor:** DC24V non-brush
Power: 150w **Battery:** lead crystal DC24V,20Ah*2pcs
Speed: 5km/h,3km/h,can be adjustable



Beetle car

Material: PE car body, steel bottom
Weight: 100kg with battery
Loading weight: 80kg **Voltage:** DC24V
Battery: lead crystal DC12V,33Ah*2pcs
Motor: DC24V non-brush **Power:** 350W
Speed: 3 or 5km/h



Swing motorcycle

Material: FRP body, steel structure
Weight: 65.5kg **Loading weight:** 100kg
Voltage: 24V **Working time:** 10hours
Battery: Crystal battery 33AH*2pcs
Power: Motor 350W*1pcs



Electric Animal rider

Material: Steel Frame+Plush Fabric
Size: Medium: 80*62*78cm / Adult 97*70*90cm
Power: 24V/250W
Battery: 12V/12AH*2pcs
Speed: 0-6km/h



Different animal cartoons for choose

Mini excavator

Material: FRP body+Steel Frame
Size: 1.9*1.1*0.9m
Operate: rotate 360 degree, speed and digger deep can adjustable



Amusement excavator

Material: FRP body+Steel Frame
Size: 3.2*0.9*1.85m
Max lifting height : 1.65m
Max working radius: 2.6m
Max working speed: 0.3m/s
Operate: rotate 90 degree or 180 degree (adjustable)



Electric Plastic Rider

Material: Plastic body+steel frame
4 wheel model: 180*105*175cm
Power: 800W
Battery: 20Ah/48V
2 wheel model : 153*54*83cm
Power: 250W
20Ah/24V 20Ah/24V



Tour Train

Locomotive

Motor: 3000W

Motor size 207cm*105cm*180cm weight: 530kg

Power: Battery drive Brake system: Drum brake

Battery capacity: 6V*210AH Battery 48V/72V

Speed: 10-15km/h Tyre: Front: 4.00-8 full, back: 4.00-8 full

Operation: Forwarder and backwarder 1 degree

Outside: Carton train Material: Glass fiber

Carriage

Thickness: 0.5cm(+0.1) Carriage brake: Optional

L*W*H: 158cm*100cm*171cm Weight: 135kg

Carriage Capacity: 4 Adults or 6 kids/carriage

Radius of gyration: 4.5M Tyre size: 15*6.0-6

Full train

Total length(6 carriage): 15.45m Height of locomotive: 1.8m

Carriage height: 1.71m(adjustable)

Working time: Charging 8 hours running 8 hours



Mini Traditional Train

Trackless train Weight of locomotive: 130kg Weight of trailer: 50kgs

Track train Weight of locomotive: 140kg Weight of trailer: 60kgs

Loading weight: 500kgs

Lead crystal battery: DC 12V 65AH/3pcs(36V) or 4pcs (48V)

Motor: 750*1pcs (track)/350W*2pcs (trackless)

Speed: 0-5km/h(can be adjustable)



Mini CFR Train

Trackless train Weight of locomotive: 130kgs

Weight of trailer: 50kgs

Track train Weight of locomotive: 140kgs

Weight of trailer: 60kgs

Loading weight: 500kgs

Lead crystal battery: DC 12V 65AH*3pcs(36V) or 4pcs (48V)

Motor: 750*1pcs (track)/350W*2pcs (trackless)

Speed: 0-5km/h(can be adjustable)



DUDU Track Train

Unit track size: Straight track: 100*5*5cm(L*W*H)

Outer bend track: 106cm long Inner bend track: 75cm long

Weight: Dudu version 84kg, CRH version 80kg

Loading weight: 150kg(One adult&One child)



Airtight pool

PVC tarpaulin thickness from 0.45mm-0.9mm ,
different model,shape ,color,technology



Airtight water park

PVC tarpaulin thickness from 0.45mm-0.9mm thickness,different model



PVC-coated polyester fabric Airtight games

Excellent air-tightness and water resistance
UV-resistant and anti-aging treatment for long outdoor use
High tear and tensile strength for commercial-grade durability



Steel Frame Pool

Height usually have 0.6m,0.8m,1.0m,1.32m,1.5m for choose ,customize length and width
Material: 0.9mm thickness PVC tarpaulin with steel frame



Bumper Ball

Material: PVC0.8-1.0mm ,TPU0.8-1.0mm

Diameter: 1.2m,1.5m,1.8m usually have 3 size for choose

Workmanship:High-frequency and hot machine



Water Roller

Specification: water roller length 2.0-2.7m,outside D=2.2 Inside D=1.7m

Material: PVC0.8-1.0mm ,TPU0.8-1.0mm

Size: length from 2.0-2.7m **outside height:** 2.2m **inner :** 1.7m

Structure: one chamber,three-chambers,D ring or big rope buckle ect.



Zorb ball

Specification: Child (outside 1.8m Inside 1.4m)

Adult(outside 2.5m Inside 1.7m)

Adult (outside 3m ,inside 2.6m)

Material: PVC0.8-1.0mm ,TPU0.8-1.0mm

Size:Diameter: 1.8m,2.5m and 3m for choose



Water Walking ball

Specification: D=1.5-3.0M

Material: PVC0.8-1.0mm ,TPU0.8-1.0mm

Size:Diameter: 1.2m,1.5m,1.8m,2m,3m ect.

With Germany "TIZIP"Zipper



Different Material between TPU&PVC

TPU is better than PVC mainly by following features:

- (1).excellent abrasion resistance
- (2).outstanding low-temperature performance
- (3).excellent mechanical properties, combined with a rubber-like elasticity
- (4).very good tear strength
- (5).high elasticity&transparency
- (6).good oil and grease resistance
- (7).more mycete-proof



Sport Games



Combo




Bouncer



Funny city



Dry slide



Water slide



Obstacle



Bungee&Climbing&Maze



Arch&Air Dancer



Fence&Tent



Cartoon&Adv



Artificial Ice Rink

Material:high-density self-lubricating UHMWPE

Size:Customized Length*width

Height as :10mm,15mm,20mm for choose

Ice skates and Full Safety Protection Kits

Different skating aids are available: Snowman,penguin, polar bear,ect.



LED Festival Lantern & Light Sculpture Series

Animal light sculptures (butterfly, deer, dragon and other wildlife shapes)

Romantic love-themed light installations (LOVE signs, heart-shaped lights)

Rainbow light tunnel, colorful pedestrian light corridor

Fantasy landscape & cartoon themed light groups

Custom exclusive patterns, shapes, sizes and color schemes based on your site layout



Outdoor

